

BEAR Series

CARGO TRAILERS
PREMIUM VALUE



Haulmark®

GET MORE | GO FURTHER

Meet the Cub & Grizzly Cub

CUB – Haulmark's premium grade smaller trailer available in single axle 5' & 6' wide models. There's no doubt about it, the Cub is rugged; it's not a cuddly toy like many competitors offer. We know it's durable and when you work you can count on it to be there for you . . . every mile of the way. Looking for a tough solution in a smaller trailer "footprint"? The Haulmark Cub is the right fit!

GRIZZLY CUB – For that heavier load, meet this premium 6' tandem axle cargo trailer ready for some powerful hauling. The Grizzly Cub is built for your general cargo needs with strength and style. With all-steel framing, Torflex axles, 3/4" DryMax® HP decking, 3/8" DryMax® HP interior sidewall liner, heavy-duty hinges, radius 32" standard side door and structural gauge steel frame – Haulmark takes the Grizzly Cub seriously.

Get More | Go Further

Cub 5' & 6' Wide Models



Grizzly Cub 6' Wide Models



Models shown my features optional equipment available at additional charge .

Standard Features - Cub 5' & 6' Models & Grizzly Cub 6' Models

- Rear ID Bar with Integrated Loading Light
- All LED Exterior Lighting with Safety Flasher System
- 24" ATP Stoneguard
- .080 Aluminum Top Wrap Roof Cove
- .030 Prefinished Aluminum Exterior
- 12v LED Dome Lights (2) with Wall Switch
- Rubber Ride Suspension with E-Z Lube Hubs
- 15" Radial Tires with White Spoke Wheels & Chrome Center Caps
- Radius Side Entry Door with Flush Lock & Dead Bolt (6' models only)
- 3/4" DryMax® High Performance Decking
- 3/8" DryMax® High Performance Interior Sidewall Liner
- SureWire 12v Wiring (Reduces Electrical Shorts)
- 3-Year Limited Warranty



FEATURE SPOTLIGHT: LED Lighting

- All Exterior LED Lighting with Safety Flasher System

Meet The Kodiak & Grizzly

KODIAK – the answer to your 7' wide heavy-duty cargo needs! We started with our ultra-tough steel frame and placed it on tandem Dexter® Torflex axles. Then we lined the walls and floor with durable DryMax® and set the trailer doors on heavy-duty hinges. The resulting cargo trailer was so tough we had to call it a Kodiak. This cargo trailer hauls construction materials and heavy furniture with equal ease. This is a trailer for hauling when it's more than a hobby. When you need a tough cargo trailer, think Kodiak.

GRIZZLY – the biggest, baddest 8.5' wide heavy-duty cargo trailer in the Haulmark lineup! As tough as its namesake, the Grizzly is loaded with industrial grade features. We know that when you work, you need a trailer that won't wimp out on you and that will be there every mile of the way. Remember the Grizzly – the professional's choice.

Get More | Go Further



Kodiak 7' Wide Models



FEATURE SPOTLIGHT: RUGGED INTERIOR

- Two 12v LED Dome Lights with Wall Switch
- 3/4" DryMax® HP Decking (Painted Gray Optional)
- 3/8" DryMax® HP Interior Sidewall Liner
- Shown with Optional E-Track

FEATURE SPOTLIGHT:

- Pass-Thru Side Entry Radius Door
- 36" x 66" Door on Kodiak 7' Wide Models
- 36" x 72" Door on Grizzly 8.5' Wide Models
- Flush Lock with Deadbolt

Grizzly 8.5' Wide Models



Models shown may feature optional equipment available at additional charge.

STANDARD FEATURES - Kodiak 7' Models & Grizzly 8.5' Models

- Rear ID Bar with Integrated Loading Light
- All LED Exterior Lighting with Safety Flasher System
- 24" ATP Stoneguard
- .080 Aluminum Top Wrap Roof Cove
- .030 Prefinished Aluminum Exterior
- 12v LED Dome Lights (2) with Wall Switch
- Rubber Ride Suspension with E-Z Lube Hubs
- Dexter® Nev-R-Adjust Self-Adjusting Brakes
- Radial Tires with White Spoke Wheels & Chrome Center Caps
- Radius Side Entry Door with Flush Lock & Dead Bolt
- 3/4" DryMax® High Performance Decking
- 3/8" DryMax® High Performance Interior Sidewall Liner
- SureWire 12v Wiring (Reduces Electrical Shorts)
- 3-Year Limited Warranty



SureWire™

Haulmark Exclusive: Improved wire connections & secure routing reduces electrical shorts

Model shown above features optional equipment available at additional charge.

Cub 5' & 6' Wide Models | Grizzly Cub 6' Wide Models

MODEL		CB5X8DS2	CB5X10DS2	CB6X10DS2	CB6X12DS2	CB6X14DS2	GC6X10DT2	GC6X12DT2	GC6X14DT2	GC6X16DT3	GC6X18DT3
Body:	Length	8'9"	10'9"	10'9"	12'9"	14'9"	10'9"	12'9"	14'9"	16'9"	18'9"
	Width	5'0"	5'0"	6'0"	6'0"	6'0"	6'0"	6'0"	6'0"	6'0"	6'0"
Overall:	Length	11'6"	13'6"	14'0"	16'0"	18'0"	14'0"	16'0"	18'0"	20'0"	22'0"
	Width	80"	80"	92"	92"	92"	92"	92"	92"	92"	92"
	Height	87"	87"	93"	93"	93"	95"	95"	95"	97"	97"
Interior:	Length	8'5"	10'5"	10'5"	12'5"	14'5"	10'5"	12'5"	14'5"	16'5"	18'5"
	Width	56"	56"	68"	68"	68"	68"	68"	68"	68"	68"
	Height	67"	67"	73"	73"	73"	73"	73"	73"	73"	73"
	Platform Height	17"	17"	17"	17"	17"	19"	19"	19"	21"	21'
E-Z Lube Axles:	Quantity	Single	Single	Single	Single	Single	Tandem	Tandem	Tandem	Tandem	Tandem
	Capacity (lbs.)	3500	3500	3500	3500	3500	3500	3500	3500	5200	5200
	Starting Angle	10° Up Angle	10° Up Angle	10° Up Angle	10° Up Angle	10° Up Angle	10° Up Angle	10° Up Angle	10° Up Angle	10° Up Angle	10° Up Angle
	Suspension	Torflex	Torflex	Torflex	Torflex	Torflex	Torflex	Torflex	Torflex	Torflex	Torflex
	Brakes	Optional	Optional	Optional	Optional	Optional	Electric Drum	Electric Drum	Electric Drum	Electric Drum	Electric Drum
Tire:	Size	ST205/75R15C	ST205/75R15C	ST205/75R15C	ST205/75R15C	ST205/75R15C	ST205/75R15C	ST205/75R15C	ST205/75R15C	ST225/75R15D	ST225/75R15D
	Type	Radial	Radial	Radial	Radial	Radial	Radial	Radial	Radial	Radial	Radial
	Wheel	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke
Hitch:	Ball Size	2"	2"	2"	2"	2"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"
	To Top of Ball	15"	15"	15"	15"	15"	17"	17"	17"	19"	19"
Hitch Weight (% of Curb Weight)		10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%
Approx. Curb Weight (lbs.)		960	1060	1240	1390	1540	1610	1760	1910	2300	2450
GVWR (lbs.)		2980	2980	2980	2980	2980	7000	7000	7000	10,000	10,000
Avg. Payload (lbs.)		2020	1920	1740	1590	1440	5390	5240	5090	7700	7550
Rear Door:	Style	Single	Single	Double	Double	Double	Double	Double	Double	Double	Double
	Width x Height	54" x 61"	54" x 61"	66" x 67"	66" x 67"	66" x 67"	66" x 67"	66" x 67"	66" x 67"	66" x 67"	66" x 67"
	Lock Style	Bar Lock	Bar Lock	Cam Lock	Cam Lock	Cam Lock	Cam Lock	Cam Lock	Cam Lock	Cam Lock	Cam Lock
Side Door:	Width x Height	Optional	Optional	32" x 60"	32" x 60"	32" x 60"	32" x 60"	32" x 60"	32" x 60"	32" x 60"	32" x 60"
	Lock Style	Optional	Optional	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt
Tube Main Rails		2" x 3"	2" x 3"	2" x 3"	2" x 3"	2" x 3"	2" x 4"	2" x 4"	2" x 4"	2" x 6"	2" x 6"
12v End Connector		4-way	4-way	4-way	4-way	4-way	7-way	7-way	7-way	7-way	7-way
Interior Sidewall Liner		3/8" DryMax®	3/8" DryMax®	3/8" DryMax®	3/8" DryMax®	3/8" DryMax®	3/8" DryMax®	3/8" DryMax®	3/8" DryMax®	3/8" DryMax®	3/8" DryMax®
Floor		3/4" DryMax®	3/4" DryMax®	3/4" DryMax®	3/4" DryMax®	3/4" DryMax®	3/4" DryMax®	3/4" DryMax®	3/4" DryMax®	3/4" DryMax®	3/4" DryMax®

Premium Value

Haulmark's **Bear Series**, our Premium Value trailer offering, is the best choice for heavy-duty applications. Redesigned with many new standard features, the Bears can get the job done, no matter what the size of the load. Here's a few highlights of our upgraded **Bear Series**:

- ✓ Pass-Thru Style Side Radius Door with Flush Lock and Dead Bolt (6', 7' & 8.5' wide models)
- ✓ Rear ID Bar with Integrated Loading Light with Separate Switch
- ✓ All Exterior LED Lighting with Safety Flasher System
- ✓ 24" ATP Stoneguard
- ✓ 12v LED Dome Lights (2) with Wall Switch
- ✓ Slimline LED Tail Lights with 3" Wider Rear Door Opening than Previous Bear Models
- ✓ 3-Year Warranty

Get More | Go Further

BEAR Series

Kodiak 7' Wide Models | Grizzly 8.5' Wide Models

MODEL		KD7X12WT2	KD7X14WT2	KD7X16WT2	KD7X18WT3	KD7X20WT3	GR85X16WT2	GR85X20WT3	GR85X24WT3	GR85X28WT3	GR85X32WT4
Body:	Length	12'9"	14'9"	16'9"	18'9"	20'9"	16'9"	20'9"	24'9"	28'9"	32'9"
	Width	7'0"	7'0"	7'0"	7'0"	7'0"	10'0"	10'0"	10'0"	10'0"	10'0"
	Overall:	Length	15'8"	17'8"	19'8"	21'8"	23'8"	19'6"	23'6"	27'6"	31'6"
	Width	102"	102"	102"	102"	102"	102"	102"	102"	102"	102"
	Height	103"	103"	103"	103"	103"	104"	104"	104"	106"	107"
Interior:	Length	12'5"	14'5"	16'5"	18'5"	20'5"	16'5"	20'5"	24'5"	28'5"	32'5"
	Width	80"	80"	80"	80"	80"	96"	96"	96"	96"	96"
	Height	79"	79"	79"	79"	79"	80"	80"	80"	80"	80"
	Platform Height	21"	21"	21"	21"	21"	21"	21"	21"	23"	24"
E-Z Lube Axles:	Quantity	Tandem	Tandem	Tandem	Tandem	Tandem	Tandem	Tandem	Tandem	Tandem	Tandem
	Capacity (lbs.)	3500	3500	3500	5200	5200	3500	5200	5200	5200	6000
	Starting Angle	10° Up Angle	10° Up Angle	10° Up Angle	10° Up Angle	10° Up Angle	10° Up Angle	10° Up Angle	10° Up Angle	10° Up Angle	10° Up Angle
	Suspension	Torflex	Torflex	Torflex	Torflex	Torflex	Torflex	Torflex	Torflex	Torflex	Torflex
	Brakes	Electric Drum	Electric Drum	Electric Drum	Electric Drum	Electric Drum	Electric Drum	Electric Drum	Electric Drum	Electric Drum	Electric Drum
Tire:	Size	ST205/75R15C	ST205/75R15C	ST205/75R15C	ST225/75R15D	ST225/75R15D	ST205/75R15C	ST225/75R15D	ST225/75R15D	ST225/75R15D	ST235/85R16E
	Type	Radial	Radial	Radial	Radial	Radial	Radial	Radial	Radial	Radial	Radial
	Wheel	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke	White Spoke
Hitch:	Ball Size	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"
	To Top of Ball	19"	19"	19"	19"	19"	19"	19"	19"	21"	22"
Hitch Weight (% of Curb Weight)		10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%	10% - 15%
Approx. Curb Weight (lbs.)		2070	2230	2390	2800	2960	2800	3200	3650	4350	5150
GVWR (lbs.)		7000	7000	7000	10,000	10,000	7000	10,000	10,000	10,000	12,000
Avg. Payload (lbs.)		4930	4770	4610	7200	7040	4200	6800	6350	5650	6850
Rear Door:	Style	Double	Double	Double	Double	Double	Double	Double	Double	Double	Double
	Width x Height	78" X 73"	78" X 73"	78" X 73"	78" X 73"	78" X 73"	94" X 73"	94" X 73"	94" X 73"	94" X 73"	94" X 73"
	Lock Style	Cam Lock	Cam Lock	Cam Lock	Cam Lock	Cam Lock	Cam Lock	Cam Lock	Cam Lock	Cam Lock	Cam Lock
Side Door:	Width x Height	36" X 66"	36" X 66"	36" X 66"	36" X 66"	36" X 66"	36" X 72"	36" X 72"	36" X 72"	36" X 72"	36" X 72"
	Lock Style	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt	Flush Lock w/ Dead Bolt
	Tube Main Rails	2" x 6"	2" x 6"	2" x 6"	2" x 6"	2" x 6"	2" x 6"	2" x 6"	2" x 6"	2" x 8"	2" x 8"
	12v End Connector	7-way	7-way	7-way	7-way	7-way	7-way	7-way	7-way	7-way	7-way
	Interior Sidewall Liner	3/8" DryMax®	3/8" DryMax®	3/8" DryMax®	3/8" DryMax®	3/8" DryMax®	3/8" DryMax®	3/8" DryMax®	3/8" DryMax®	3/8" DryMax®	3/8" DryMax®
	Floor	3/4" DryMax®	3/4" DryMax®	3/4" DryMax®	3/4" DryMax®	3/4" DryMax®	3/4" DryMax®	3/4" DryMax®	3/4" DryMax®	3/4" DryMax®	3/4" DryMax®

STANDARD COLORS




UP-CHARGE COLORS



Specifications, features & available options subject to change without notice.

ENGINEERING

BEAR Series



- 1) Torsion Axles (10° Up)
- 2) 15" Radial Tires & E-Z Lube Hubs
- 3) White Spoke Wheels and ABS Chrome Center Caps
- 4) Smooth Aluminum Fenders
- 5) Rear Doors with Insulated Foam Core (Stronger, More Rigid Door)
- 6) Pass-Thru Style Side Door with Flush Lock & Dead Bolt (not standard on 5' Cub Models)
- 7) .030 Prefinished Aluminum Exterior
- 8) Radius Drip Rail Over Side Door
- 9) One-Piece .080 Aluminum Top Wrap
- 10) LED Safety Flasher System
- 11) Pro Style LED Clearance Lights
- 12) Drip Rail Over Rear Door
- 13) LED Tail Lights
- 14) License Plate Light
- 15) Rear ID Bar with Integrated Loading Light
- 16) Steel Decking Channel (Protects Floor Edge)
- 17) 3/4" DryMax® HP Decking (Shown with Optional Painted Gray)
- 18) 3/8" DryMax® HP Interior Sidewall Liner
- 19) 12v LED Dome Lights (2) with Wall Switch
- 20) 2,000 lb. Top Crank A-Frame Jack, Sand Pad & Safety Chains
- 21) 24" ATP Stoneguard
- 22) Rear Stabilizer Jacks

Specifications, features & available options subject to change without notice.

THINK HAULMARK FOR ALL YOUR HAULING NEEDS



PASSPORT
Smart Value ★★★



TRANSPORT
Enhanced Value ★★★★



KODIAK
Premium Value ★★★★★



EDGE
Premium Value ★★★★★



LOW HAULER
Premium Value ★★★★★



GET MORE | GO FURTHER
BY UNIVERSAL TRAILER

To locate your nearest authorized Haulmark dealer
visit www.haulmark.com

